



Daltile LVF PROSERIES

Explore our LVF collection of Rigid Click and
Glue Down options



Why Daltile LVF?

What we offer?

Resilient and beautiful, our luxury vinyl flooring provides wood, concrete, marble, encaustic, and textile looks for commercial and light commercial applications.

- Durable & Practical
- Low Price Point
- Easy to Install & Remove
- Water-Resistant
- Sound-Reducing Properties
- Easy to Clean & Maintain



Asher Bend

Natural hardwood visual and distinctive chevron pattern for a chic composition

Rigid Click and Flexible Glue Down Options

2.0MM and 6.5MM Thickness Options and 12Mil and 20Mil Wear Layer Options

9x71 and 5x24 Herringbone Sizes



ASHER BEND™

RIGID CLICK

SIZES:



9 x 71 Plank



5 x 24 Plank

9 x 71 WOOD LOOK PLANKS



PICKET FENCE AB21



VILLA AB22



HEARTH AB23



MANOR AB24



LODGE AB25

5 x 24 HERRINGBONE WOOD LOOK PLANKS



PICKET FENCE AB21



VILLA AB22



HEARTH AB23



MANOR AB24



LODGE AB25

Bellamy Place

6 color options that are European Inspired wood plank looks that are EIR with a painted bevel

Rigid Click Option

6MM Thickness Option and
20Mil Wear Layer Option

9x60 Size



BELLAMY PLACE

Bellamy Place™ offers the authenticity of real wood with the ease and confidence of luxury vinyl flooring.

EXPLORE COLORS IN THIS SERIES



Acre BP13



Barrel BP15



Courtyard BP12



Whitelock BP10



Garden BP11



Saddle BP14

Halstatt

European Wood Look in 6 modern colors and comes embossed and registered with painted bevel

Rigid Click

4.7MM and 5MM Thickness Options and 12Mil and 20Mil Wear Layer Options

7.25x48 Size



4.7 mm | 20 mil & 5.0 mm | 12 mil
HALSTATT™
RIGID CLICK

SIZES:




7-1/4 x 48
Plank

7.25 x 48 WOOD LOOK PLANKS



COTTAGE HT40



HERITAGE HT41



COBBLESTONE HT42



SCENIC HT43



PALISADE HT44



CRAFTSMAN HT45

Adventuro

12 colors in natural wood tones with
Uniclic locking system

Rigid Click Option

4.5MM and 12Mil Thickness
Option

6x48 Size





Explorer AD36



Wander AD37



Compass AD33



Journey AD32



Traveler AD30



Voyage AD31




Wilde AD40



Arc AD35



Intrepid AD39



Mariner AD41



Forest AD34



Trekker AD38

Grantshire

Four breathtaking European marble looks that come in two rectangular sizes with a micro bevel

Rigid Click and Flexible Glue Down Options

6MM thickness & 12 and 20 Mil wear layer with rigid click.
2MM/12 Mil & 5MM/20 Mil with glue down

12x24 and 18x36 sizes



GRANTSHIRE™

RIGID CLICK

SIZES:



18 x 36
Floor Tile



12 x 24
Floor Tile

12 x 24 & 18 x 36 MARBLE LOOKS - NINE PIECES SHOWN



CATANIA CALACATTA GR41



SOLARA WHITE GR42



TUSCAN TAUPE GR43



GENOA GRIGIO GR44



Harper's Place

Fabricated with noise-reducing technology and shades from cool to warm wood tones

Flexible Glue Down with Acoustical Pad attached

3MM Thickness and 8 Mil Wear Layer

7.5x48.5 Size

7.5 x 48.5 WOOD LOOK PLANKS



COTTAGE
HP40



CRAFTSMAN
HP38*



COLONIAL
HP31*



TOWNHOUSE
HP30*



RANCH
HP32



FRENCH
COUNTRY HP33



RUSTIC
HP34



TUDOR
HP35*



BUNGALOW
HP36



FARMHOUSE
HP37*



VICTORIAN
HP39

* SPECIAL ORDER COLOR



Pines Terrace

Traditional wood look plank visual
that comes in 5 colors

Flexible Glue Down

2MM/8Mil and 3MM/20Mil Options

7.25x48 Size

7.25 x 48 WOOD LOOK PLANKS



BIRCH PT71 2 MM /8 MIL
PT84 3 MM / 20 MIL



SUGAR PT60 2 MM /8 MIL
PT73 3 MM / 20 MIL



GINGER PT65 2 MM /8 MIL
PT78 3 MM / 20 MIL



CINNAMON PT66 2 MM /8 MIL
PT79 3 MM / 20 MIL



WREATH PT69 2 MM /8 MIL
PT82 3 MM / 20 MIL

INSTALLATION OPTIONS





Loften

Infuse color and texture with a limestone and fabric visual. Also comes in a vibrant accent (special order)

Flexible Glue Down

3MM/20 Mil Wear Layer – Stocked Colors
3 MM/30 Mil Wear Layer – Special Order

6x24, 12x24, and 24x24 sizes available

6" x 24" | 12" x 24" | 24" x 24" – Limestone



MINERAL LIMESTONE LF01



PEBBLE LIMESTONE LF02



SMOKE LIMESTONE LF03



GRAVEL LIMESTONE LF04



COAL LIMESTONE LF05

6" x 24" | 12" x 24" | 24" x 24" – Fabric - Neutral Colors



MINERAL FABRIC LF06



PEBBLE FABRIC LF07



SMOKE FABRIC LF08



GRAVEL FABRIC LF09



COAL FABRIC LF10

6" x 24" | 12" x 24" | 24" x 24" – Fabric - Accent Colors – (SPECIAL ORDER)*
LOFTEN ACCENT COLORS COORDINATE WITH COLOR WHEEL™ - GLAZED CERAMIC COLLECTION



CURRENT FABRIC LF23
*COORDINATES WITH
CURRENT SH17



ORANGE BURST FABRIC LF27
*COORDINATES WITH
ORANGE BURST 1097



MUSTARD FABRIC LF25
*COORDINATES WITH
MUSTARD 1012



EMERALD FABRIC LF26
*COORDINATES WITH
EMERALD 0115



SPA FABRIC LF28
*COORDINATES WITH
SPA 0148



SEA BREEZE FABRIC LF22
*COORDINATES WITH
SEA BREEZE 1174



GALAXY FABRIC LF24
*COORDINATES WITH
GALAXY 1469



BLACK FABRIC LF21
*COORDINATES WITH
BLACK K111



Elixen

9 colors available in this
commercially/residential rated LVF
that has exotic wood looks

Glue Down

2.5MM Thickness and 20 Mil Wear Layer

7x47 Size

EXPLORE COLORS IN THIS SERIES



Black Walnut EX36



Ashwood EX33



Driftwood EX34



Exotic Teak EX35



Rosewood EX38



Rustic Java EX37



Sonoma Oak EX30



Vintage Pine EX32



White Oak EX31



Cyrose

Help achieve simple beauty with 5
authentic wood look colors for
commercial/residential

Glue Down

2MM Thickness and 12 Mil Wear Layer

6x48 Size

6 x 48 WOOD LOOK PLANKS



WHITE ASH CY30



COASTAL GREY CY31



BARNWOOD CY34



HONEY MAPLE CY32



EARLY AMERICAN CY33

All LVF
series come
in the
following
trim

COORDINATING TRIM

Seven trims and moldings that are designed to coordinate with each of our existing colors within the collection.

PERFORMANCE
ACCESSORIES


STOCKING ITEMS:

- EXTSN:** Extra Tall Stair Nose (2" x 94")
VSCAP: Flush-Mount Vinyl Stair Cap (2-3/4" x 44")
(Length may vary by series.)
SLIMT: Slim Trim 4-in-1 Transition (2" x 94"), Four unique trims and moldings in one single SKU (T-Molding, Hard Surface Reducer, Carpet Transition, End Cap)
RNDSTRD: Full Round Stair Tread (12-1/5" x 50")

SPECIAL ORDER ITEMS:


- VRDSN:** Round Stair Nose (1-3/4" x 94")
VQRND: Quarter Round (3/4" x 94")
VSLCAP: Slim Cap, Low Profile End Cap (1-3/8" x 94")

STOCKING ITEMS:



EXTRA TALL STAIR NOSE

Creates a transition to the edge of the step by overlapping the flooring on the back end. Can also be installed flush on floors with an overall thickness up to 4 mm.*




VINYL STAIR CAP

Creates a smooth and flush finish on the edges of steps by using the same vinyl flooring plank to ensure a corresponding color and texture.



SLIM TRIM 4-IN-1 TRANSITION

Performance Accessories' exclusive 4-in-1 transition allows you to utilize a single transition for four different applications.



FULL ROUND STAIR TREAD

A vinyl stair tread with pre-attached stair nosing. Can be used on steps with or without nosing.

EACH OF THE BELOW ARE ACHIEVED VIA THE SLIM TRIM 4-IN-1 TRANSITION (SHOWN ABOVE)



T-MOLDING

Used to transition between flooring of equal heights and in doorways.



HARD SURFACE REDUCER

Connects two floors of different heights.



END MOLDING


Finishing up to a threshold, sliding door, etc.



CARPET TRANSITION

Provides a smooth transition between your hard surface floor & carpet. A carpet tap down trim must be used & is sold at your local hardware store.

SPECIAL ORDER ITEMS:



ROUND STAIR NOSE

Creates a transition to the edge of the step by overlapping the flooring on the back end. Can also be installed flush on floors with an overall thickness up to 4 mm.*



QUARTER ROUND

Conceals the expansion space between the wall and the flooring.



SLIM CAP

Low profile end cap used to transition from flooring to carpet, masonry, sliding doors, and other exterior door jambs.

Vinyl PSA Pressure Sensitive Adhesive



Product ID: TDS-361

Advanced pressure sensitive adhesive ideally suited for most LVP/LVT and carpet tile applications. This unique formulation can be used in permanent or releasable applications. The high moisture resistant adhesive has low VOC's and is Floor Score and Green Label Plus certified

- Roller or trowel applied
- Superior Moisture Resistance performance [up to 99% per ASTM F2170]
- Resists roll-up behind trowel
- Wet or Dry installation applications

***Daltile does NOT warranty adhesives manufactured by third parties and any warranties will go through the provider**



ULTRABOND ECO 399


Heavy-Duty, Pressure-Sensitive, Multi-Flooring Adhesive

Ultrabond ECO® 399 is a high-moisture-resistant, heavy-rolling-load-resistant, aggressive, pressure-sensitive adhesive with enhanced dimensional control properties designed to install a wide variety of resilient flooring types. *Ultrabond ECO 399* can also be used for flash-coving installations using traditional installation methods.

- ✓ Resistant to heavy rolling loads
- ✓ Minimizes gaps in luxury vinyl tile and plank
- ✓ Resistant to high moisture
- ✓ Allows up to 6 hours of working time

LVF Quick Reference Guide

Product	Size	Click	Glue Down	Wear Layer	Mil Thickness
Asher Bend	9x71	X	X	20 Mil Click 12 Mil Glue Down 20 Mil Glue Down	6.5MM Click 2MM Glue Down 3MM Glue Down
	5x24 Herringbone	X		20 Mil Click	6.5MM Click
Bellamy Place	9x60	X		20 Mil	6MM
Halstatt	7x48	X		12 Mil 20 Mil	4.7MM 5MM
Adventuro	6x48	X		12 Mil	4.5MM
Grantshire	12x24/18x36	X	X	12 Mil Click (12x24) 20 Mil Click (12x24) 12 Mil Click (18x36) 20 Mil Click (18x36) 12 Mil Glue Down (Both Size) 20 Mil Glue Down (Both Size)	6MM Click (12x24) 6MM Click (12x24) 7.5MM Click (18x36) 7.5MM Click (18x36) 2MM Glue Down (Both Size) 5MM Glue Down (Both Size)
Harper’s Place	7x48		X	8 Mil	3MM
Pines Terrace	7x48		X	8 Mil 20 Mil	2MM 3MM
Loften	6x24/12x24/24x24		X	20 Mil 30 Mil	3MM 3MM
Elixen	7x47		X	20 Mil	2.5MM
Cyrose	6x48		X	12 Mil	2MM



We have strap sets available in all series that we can send to you or your customers!

We have installation guides for each product series along with trim installation guides that we can send out. Need to see our warranties? Just reach out to your local sales rep!



THANK YOU

